






Win 7/8/10, Vista/ XP
driver setup step.



INSTALLATION STEP




Win 7/8/10, Vista/ XP driver setup step




Win 7/8/10, Vista/ XP driver setup step




Win 7/8/10, Vista/ XP driver setup step




Win 7/8/10, Vista/ XP driver setup step





Win 7/8/10, Vista/ XP driver setup step





Win 7/8/10, Vista/ XP driver setup step



Win 7/8/10, Vista/ XP driver setup step



Win 7/8/10, Vista/ XP driver setup step





Test STEP



The image shows two windows from the DECISION PCCOM Diagnostic Test software. The top window, titled "DECISION PCCOM Diagnostic Test", contains a grid of test configuration panels. The first two panels are for W:COM3 and W:COM4. In the W:COM3 panel, the "Start" button is highlighted with a red box, and the "ERRORS" field shows "0". In the W:COM4 panel, the "Start" button is also highlighted with a red box, and the "ERRORS" field shows "0". Below this grid is a "Setup" window. It features eight numbered sections (1-8) for configuring different COM ports. Each section includes an "Enable" checkbox, a "COM:" dropdown menu (set to COM3 through COM10), and an "Bps:" dropdown menu (set to 9600). At the bottom of the Setup window, there is a "Delay:" field set to "500 ms" and a "START" button.



Win 7/8/10, Vista/ XP driver setup step

Setup

1 <input checked="" type="checkbox"/> Enable COM: COM3 Bps: 9600	2 <input checked="" type="checkbox"/> Enable COM: COM4 Bps: 9600	3 <input type="checkbox"/> Enable COM: COM5 Bps: 9600	4 <input type="checkbox"/> Enable COM: COM6 Bps: 9600
5 <input type="checkbox"/> Enable COM: COM7 Bps: 9600	6 <input type="checkbox"/> Enable COM: COM8 Bps: 9600	7 <input type="checkbox"/> Enable COM: COM9 Bps: 9600	8 <input type="checkbox"/> Enable COM: COM10 Bps: 9600

Delay: 0 ms

START

DECISION PCCOM Diagnostic Test

WCOM3 Tx: XYZ[-.0 Rx: XYZ[-. Start: 00:00 End: 00:00 Counter Txd: 0 Rxd: 0 ERRORS: 0	WCOM4 Tx: Rx: Start: 00:00 End: 00:00 Counter Txd: 0 Rxd: 0 ERRORS: 0	Tx: Rx: Start: 00:00 End: 00:00 Counter Txd: 0 Rxd: 0 ERRORS: 0	Tx: Rx: Start: 00:00 End: 00:00 Counter Txd: 0 Rxd: 0 ERRORS: 0
Tx: Rx: Start: 00:00 End: 00:00 Counter Txd: 0 Rxd: 0 ERRORS: 0	Tx: Rx: Start: 00:00 End: 00:00 Counter Txd: 0 Rxd: 0 ERRORS: 0	Tx: Rx: Start: 00:00 End: 00:00 Counter Txd: 0 Rxd: 0 ERRORS: 0	Tx: Rx: Start: 00:00 End: 00:00 Counter Txd: 0 Rxd: 0 ERRORS: 0

Win 7/8/10, Vista/ XP driver setup step

DECISION PCCOM Diagnostic Test

WCOM3 Tx: XYZ[-.0 Rx: XYZ[-. Start: 17:55 End: 00:00 Counter Txd: 2777 Rxd: 2775 ERRORS: 0	WCOM4 Tx: Rx: Start: 00:00 End: 00:00 Counter Txd: 0 Rxd: 0 ERRORS: 0	Tx: Rx: Start: 00:00 End: 00:00 Counter Txd: 0 Rxd: 0 ERRORS: 0	Tx: Rx: Start: 00:00 End: 00:00 Counter Txd: 0 Rxd: 0 ERRORS: 0
Tx: Rx: Start: 00:00 End: 00:00 Counter Txd: 0 Rxd: 0 ERRORS: 0	Tx: Rx: Start: 00:00 End: 00:00 Counter Txd: 0 Rxd: 0 ERRORS: 0	Tx: Rx: Start: 00:00 End: 00:00 Counter Txd: 0 Rxd: 0 ERRORS: 0	Tx: Rx: Start: 00:00 End: 00:00 Counter Txd: 0 Rxd: 0 ERRORS: 0